



2014
CATALOG



SUPER STRONG SILKY SMOOTH



Sufix NanoBraid is tightly woven using Wide Angle Braiding Technology to increase abrasion resistance and create superior knot and shock strength unmatched by any other ultra thin line.

GET READY FOR THE NEW LEVEL OF NANO LINE FEEL AND PERFORMANCE.



THE WORLD'S MOST HARDCORE FISHING LINE.

Sufix invests strongly in research and development, which has made Sufix one of the leading fishing line brands in the world with first class raw materials, modern production facilities, proprietary spooling and coating processes and non-compromising quality control. The Sufix R&D team relies on scientific testing in addition to testing and feedback from pros in the field.

For this year the culmination of the product development process is in two new lines. Sufix 832-D Deep Down is an Advanced Superline featuring 2 GORE® Performance fibers in an eight carrier line specifically designed and constructed for fishing deep. The thin and strong NanoBraid features a Wide Angle Braiding process that creates a very smooth, solid yet thin braided line with amazing shock and abrasion resistance and handling characteristics.

The NanoBraid is ideal for light tackle and finesse fishing.

CONTENTS

NEW 832-D Deep Down	5	Jigging Braid	27	Arma-Skin	41
832 Advance Superline	6	Key lime IGFA	28	Camo Skin	42
NEW Nanobraid	8	Ultra Supreme	28	Sheath Skin	42
Gravity ²	9	Superior	29	Kameleon	42
Performance Braid	10	Supple Link	29	Black Silt	42
Matrix Pro	11	Tritanium	30	Stiff Silt	43
Performance Fuse	12	Zippy Leader	30	Herculine Heavy	43
Gyro	13	Feeder Braid	32	Herculine Blend	43
Duraflex	14	Feeder Mono	32	Magician	43
Castable Invisiline 100% Fluorocarbon	15	Ultra Knot	33	Silky Soft	44
Invisiline	15	Super Fine	33	Nufflex	44
Elite	16	Specialist English Match	34	Heavy Core	44
Sege	17	Specialist Bead Bait	34	Supple Link	44
XL Strong	18	Specialist Freshwater	35	Carp Rigs	45
Synergy	19	Specialist Trout	35	Fly Line Packing	46
Supreme	20	Specialist Carp	35	Shooting Line	46
Cast'N Catch	21	Specialist Pike	36	Fluoro Tippet	47
Performance Braid Metered	23	Specialist Zander	36	Super Tippet	47
Matrix Pro Metered	23	Specialist Roach	36	Super Tippet Salmon	47
Performance Fuse Metered	24	832 Carp Gore Advanced Superline	38	832 Ice Braid	48
Big Fish	24	Synergy Carp Fluorocarbon	39	Ice Braid & Invisiline Combo	48
832 Advanced Leadcore	25	Synergy Carp	39	Ice Braid	49
Performance Leadcore	25	Duo Core	40	Ice Magic	49
Wind-On Leader	26	Ballistic	40	Commercial Lines	50
K-Braid	26	Knot-It	40		
Super Cat	27	rma-Core	41		

WITH SUFIX, THERE'S NOTHING YOU CAN'T CATCH.

THE NEW


Sufix
832
ADVANCED SUPERLINE

FEATURING



GORE® Performance Fiber

THE LINE THAT
CHANGES
THE GAME

SCAN HERE TO WATCH



sufix.com

832-D DEEP DOWN

NEW FOR 2014



ADVANCED SUPERLINE DESIGNED FOR FISHING DEEP.

The custom construction with 8 fibers (6 Dyneema® + 2 GORE® Performance Fibers) and 32 weaves per inch creates the most durable yet sensitive sinking braid. The dense GORE® Performance Fibers counterbalance the inherent buoyancy of the Dyneema® fibers, making the 832-D one of the fastest sinking braids on the market.

- The Ruby Red color of the 832-D Deep Down is hand-picked to be extremely unobtrusive in deep water and low visibility.
- GORE® Performance Fibers add incredible fray and abrasion resistance for durability
- Smooth line release during casting achieves longer and more accurate casts.
- Thermal Plastic Gel (TPG) Coloring Technology is the protective coating that enhances color retention.

100 m x 6 connected spools.

SPECIFICATIONS			RUBY RED	
Diam.	kg	lb	120 m	250 m
0.12	7.5	16	•	•
0.14	8.5	19	•	•
0.18	11.0	24	•	•
0.21	13.7	30	•	•
0.25	17.0	38	•	•
0.30	19.6	44	•	•
0.35	26.1	58	•	•
0.40	36.0	80	•	•

THE WORLD'S MOST hardcore FISHING LINE.

832 ADVANCED SUPERLINE®

THE STRONGEST, MOST DURABLE SMALL DIAMETER BRAID.

R8 Precision Braiding and fiber technology provide superior strength, roundness and line consistency.

Constructed of 8 fibers (7 Dyneema® plus 1 GORE® Performance Fiber) and 32 weaves (pics) per inch.

GORE® Performance Fibers improve abrasion resistance, increase casting length/accuracy & reduce line vibration.

Dyneema® fibers provide high strength & sensitivity, hydrophobic water-repellent protection & small diameter.

100 m x 6 connected spools.

SPECIFICATIONS			NEON LIME				LO VIS GREEN			
Diam.	kg	lb	100 m x 6	120 m	250 m	1500 m	100 m x 6	120 m	250 m	1500 m
0.06	2.9	6	•	•	•		•	•	•	
0.08	3.7	8	•	•	•		•	•	•	
0.10	5.9	13	•	•	•	•	•	•	•	•
0.13	8.2	18	•	•	•	•	•	•	•	•
0.15	9.2	20	•	•	•	•	•	•	•	•
0.18	12.0	26	•	•	•	•	•	•	•	•
0.20	13.5	30	•	•	•	•	•	•	•	•
0.24	17.7	39	•	•	•	•	•	•	•	•
0.28	22.8	50	•	•	•	•	•	•	•	•
0.33	28.5	63	•	•	•	•	•	•	•	•
0.38	36.0	79	•	•	•	•	•	•	•	•
0.42	39.0	86	•	•	•	•	•	•	•	•
0.48	45.0	99	•	•	•	•	•	•	•	•

THE WORLD'S MOST hardcore FISHING LINE.

R⁸ Precision Braiding



100 m x 6 connected spools.

SPECIFICATIONS			GHOST			CAMO		HI VIS YELLOW	
Diam.	kg	lb	100 m x 6	120 m	250 m	120 m	250 m	120 m	250 m
0.06	2.9	6	•	•	•	•	•	•	•
0.08	3.7	8	•	•	•	•	•	•	•
0.10	5.9	13	•	•	•	•	•	•	•
0.13	8.2	18	•	•	•	•	•	•	•
0.15	9.2	20	•	•	•	•	•	•	•
0.18	12.0	26	•	•	•	•	•	•	•
0.20	13.5	30	•	•	•	•	•	•	•
0.24	17.7	39	•	•	•	•	•	•	•
0.28	22.8	50	•	•	•	•	•	•	•
0.33	28.5	63	•	•	•	•	•	•	•
0.38	36.0	79	•	•	•	•	•	•	•
0.42	39.0	86	•	•	•	•	•	•	•
0.48	45.0	99	•	•	•	•	•	•	•

THE WORLD'S MOST hardcore FISHING LINE.

NANOBRAID®

NEW FOR 2014



STRONG AND THIN NANOFILAMENT BRAID.

Sufix NanoBraid is built with a Wide Angle Braiding Technology that creates higher tension on the braiding process, resulting in a tight weave and super strong, silky smooth line. • The densely braided Dyneema® fibers and a high pitch-count – up to twice as high as on most braided lines – gives consistent quality, uniform diameter and increased abrasion resistance, improving the line’s performance. • Sufix NanoBraid is up to three times stronger than other lines in the category and also features superior knot and shock strength unmatched by any other ultra thin line. The silky soft line is extremely sensitive and runs quietly through the guides.

SPECIFICATIONS			AQUA CAMO	HOT PINK
Diam.	kg	lb	100 m	100 m
0.04	2.8	6.0	•	•
0.06	3.3	7.0	•	•
0.08	3.7	8.0	•	•
0.10	5.0	11.0	•	•
0.12	7.3	16.0	•	•

THE WORLD’S MOST hardcore FISHING LINE.


GRAVITY²



GORE Featuring
GORE® Performance Fibers



BITE INDICATOR COLOR SEQUENCE



FAST SINKING BRAIDED LINE FOR FINESSE FISHING.

Constructed of 2 Gore® Performance Fibers and 2 Ultra High Molecule PE fibers for fast sinking
 Improved sensitivity and bite detection. • Quicker and more efficient hook-sets
 Very high abrasion resistance • Sink rate comparable to fluorocarbon monofilament line
 • Easy handling, long and accurate casts Extreme strength, minimal stretch

SPECIFICATIONS			NEON ORANGE	BITE INDICATOR
Diam.	kg	lb	100 m	100 m
0.08	2.7	6.0	•	•
0.10	3.6	8.0	•	•
0.12	5.4	12.0	•	•
0.15	6.8	15.0	•	•
0.18	8.2	18.0	•	•

THE WORLD'S MOST hardcore FISHING LINE.

PERFORMANCE BRAID



HI-VIS YELLOW

LO-VIS GREEN

THE LONG-CASTING, EASY-HANDLING BRAID

Exclusive Y6 Braiding produces a rounder, smoother, thinner and quieter braided line
 Handles effortlessly and casts long - even on spinning reels
 Virtually trouble-free with far fewer wind knots • Ultra-abrasion resistant and super-sensitive

SPECIFICATIONS			HI VIS YELLOW		LO VIS GEEN	
Diam.	kg	lb	135 m	275 m	135 m	275 m
0.10	5.4	12	•	•	•	•
0.12	6.9	15	•	•	•	•
0.16	9.5	21	•	•	•	•
0.18	12.2	27	•	•	•	•
0.20	13.3	29	•	•	•	•
0.23	16.4	36	•	•	•	•
0.30	23.0	51	•	•	•	•
0.34	29.2	64	•	•	•	•
0.36	32.0	70	•	•	•	•
0.38	38.0	84	•	•	•	•
0.50	58.0	128	•	•	•	•
0.58	80.0	176	•	•	•	•

THE WORLD'S MOST hardcore FISHING LINE.

MATRIX PRO



100 m x 6 connected spools.

NEON CHARTREUSE

MIDNIGHT GREEN

BLACK



A UNIQUE, HIGH PERFORMANCE BRAID WITH ALL OF THE QUALITIES THAT ANGLERS LOOK FOR: HIGH STRENGTH, EASE IN HANDLING, NEAR ZERO STRETCH AND EASY CASTING.

Enhanced Body Super Braid • 100% Dyneema® fibers

SPECIFICATIONS			NEON CHARTREUSE				MIDNIGHT GREEN				BLACK			
Diam.	kg	lb	100 m x 6	135 m	250 m	1500 m	100 m x 6	135 m	250 m	1500 m	100 m x 6	135 m	250 m	1500 m
0.10	5.2	11	•	•	•	•	•	•	•	•	•	•	•	•
0.12	6.7	15	•	•	•	•	•	•	•	•	•	•	•	•
0.14	8.4	18	•	•	•	•	•	•	•	•	•	•	•	•
0.16	9.2	20	•	•	•	•	•	•	•	•	•	•	•	•
0.18	12.0	26	•	•	•	•	•	•	•	•	•	•	•	•
0.20	13.0	29	•	•	•	•	•	•	•	•	•	•	•	•
0.23	15.5	34	•	•	•	•	•	•	•	•	•	•	•	•
0.27	20.0	44	•	•	•	•	•	•	•	•	•	•	•	•
0.30	22.0	48	•	•	•	•	•	•	•	•	•	•	•	•
0.34	25.0	55	•	•	•	•	•	•	•	•	•	•	•	•
0.36	31.2	69	•	•	•	•	•	•	•	•	•	•	•	•
0.38	37.0	81	•	•	•	•	•	•	•	•	•	•	•	•
0.50	56.0	123	•	•	•	•	•	•	•	•	•	•	•	•
0.58	78.0	172	•	•	•	•	•	•	•	•	•	•	•	•

THE WORLD'S MOST hardcore FISHING LINE.

PERFORMANCE FUSE



A ROUNDER BRAIDED LINE WITH ENHANCED SMOOTHNESS AND SUPERIOR CASTING.

100% Dyneema® fiber • Virtually zero stretch • Ultra fine diameter • Superior tensile and knot strength

SPECIFICATIONS			SMOKE BLUE			FLUO. NEON FIRE		
Diam.	kg	lb	135 m	250 m	1500 m	135 m	250 m	1500 m
0.10	5.2	11	•	•	•	•	•	•
0.12	6.0	13	•	•	•	•	•	•
0.14	8.2	18	•	•	•	•	•	•
0.16	9.0	20	•	•	•	•	•	•
0.18	10.4	23	•	•	•	•	•	•
0.20	12.8	28	•	•	•	•	•	•
0.23	15.5	34	•	•	•	•	•	•
0.30	21.0	46	•	•	•	•	•	•
0.34	25.0	55	•	•	•	•	•	•

THE WORLD'S MOST hardcore FISHING LINE.

GYRO



100 m x 6 connected spools.

MULTI-PURPOSE DYNEEMA® FIBER BLEND BRAID THAT OFFERS A TREMENDOUS BALANCE OF VALUE AND PERFORMANCE. GYRO CAMO BRAID BREAKS UP THE SHAPE AND APPEARANCE OF THE LINE, HELPING IT TO BLEND IN AND DISAPPEAR WHATEVER THE SURROUNDINGS.

High strength • Low stretch • Soft • Strong • Sensitive

SPECIFICATIONS			DEEP GREEN				CAMO		
			100 m x 6	150 m	250 m	1000 m	150 m	250 m	600 m
0.12	4.5	10	•	•	•	•	•	•	•
0.14	5.4	12	•	•	•	•	•	•	•
0.17	6.8	15	•	•	•	•	•	•	•
0.21	9.1	20	•	•	•	•	•	•	•
0.26	11.4	25	•	•	•	•	•	•	•
0.30	12.7	28	•	•	•	•	•	•	•
0.35	13.6	30	•	•	•	•	•	•	•
0.40	18.2	40	•	•	•	•	•	•	•
0.45	22.7	50	•	•	•	•	•	•	•
0.50	27.2	60	•	•	•	•	•	•	•
0.60	36.3	80	•	•	•	•	•	•	•
0.90	45.4	100	•	•	•	•	•	•	•

THE WORLD'S MOST hardcore FISHING LINE.

DURAFLEX™



CLEAR

LO-VIS GREEN

AQUA BLUE



100 m x 10 connected spools.

THIS IS THE NEXT GENERATION OF MONOFILAMENT. WITH OUR EXCLUSIVE NX NANO RESIN™ FORMULA, WE ARE ABLE TO ACHIEVE EXTRA SENSITIVITY WITHOUT GIVING UP SUPERIOR STRENGTH, HANDLING & DURABILITY.

Near-zero memory • Ultra premium monofilament

SPECIFICATIONS			CLEAR			LO VIS GREEN		AQUA BLUE	
			100 m x 10	150 m	300 m	100 m x 10	300 m	100 m x 10	300 m
Diam.	kg	lb							
0.14	2.4	5.3	•	•	•		•		•
0.16	3.1	6.7	•	•	•		•		•
0.18	3.7	8.0	•	•	•	•	•	•	•
0.20	4.5	9.9	•	•	•	•	•	•	•
0.22	5.6	12.3	•	•	•	•	•	•	•
0.25	7	15.4	•	•	•	•	•	•	•
0.30	9.7	21.3	•	•	•	•	•	•	•
0.33	10.8	23.8	•	•	•	•	•	•	•
0.35	13	28.6	•	•	•	•	•	•	•
0.40	15.5	34.1	•	•	•	•	•	•	•
0.45	18.2	40.0	•	•	•	•	•	•	•
0.50	23	50.6	•	•	•	•	•	•	•

THE WORLD'S MOST hardcore FISHING LINE.

CASTABLE INVISILINE™ 100% FLUOROCARBON



100% fluorocarbon casts like mono & it's virtually invisible. Resistant to ultra violet rays that can damage lines. Incredibly strong, abrasion resistance & sensitive.

Low-stretch index for optimal hook setting power. Sinks 4 times faster than traditional nylon lines, getting your presentation to the strike zone faster. Exceptional handling on spinning & casting reels. Exclusive G2 Precision Winding™ virtually eliminates line memory.

SPECIFICATIONS			CLEAR
Diam.	kg	lb	150 m
0.14	1.6	3.5	•
0.16	2.1	4.6	•
0.18	2.5	5.5	•
0.20	3.4	7.5	•
0.25	4.0	8.8	•
0.28	5.5	12.1	•
0.30	6.6	14.5	•
0.35	8.2	18.0	•
0.40	9.0	19.8	•

INVISILINE™



A premium quality and high integrity fluorocarbon leader line. Nearly invisible in water and sinks 4 times faster than nylon lines.

SPECIFICATIONS			CLEAR				
Diam.	kg	lb	10 m Interconnecting spools	20 m hanging spool	20 m Bracelet spool	50 PVC box	50 m Bracelet spool
0.12	0.9	2.0	•	•		•	
0.15	1.4	3.0	•	•		•	
0.17	1.8	4.0	•	•		•	
0.19	2.3	5.0	•	•		•	
0.21	2.7	6.0	•	•		•	
0.24	3.2	7.0	•	•		•	
0.27	3.6	8.0	•	•		•	•
0.30	4.6	10.0	•	•		•	•
0.33	5.5	12.0	•	•		•	•
0.37	6.9	15.0	•	•		•	•
0.44	9.1	20.0	•	•		•	•
0.47	11.4	25.0			•		•
0.52	13.7	30.0			•		•
0.62	18.2	40.0			•		•
0.71	22.7	50.0			•		•
0.79	27.3	60.0			•		•
0.92	36.3	80.0			•		•
1.06	45.4	100.0			•		•
1.17	68.2	150.0			•		•

10 m spools are interconnecting leader dispenser spools.

ELITE™



CLEAR

LO-VIS GREEN



100 m x 10 connected spools.

FOR UNBEATABLE STRENGTH AND EASY HANDLING,
GO WITH THE BREAKTHROUGH TECHNOLOGY OF SUFIX ELITE.

Superior tensile and knot strength due to J7 Micro Resin Technology
Handles better and casts with ease due to a proprietary extrusion process • All around exceptional performance
Exclusive G2 Precision Winding™ (100 and 300 m spools) virtually eliminates line memory

SPECIFICATIONS				CLEAR		LO VIS GREEN		SPECIFICATIONS				CLEAR		LO VIS GREEN	
Diam.	kg	lb		100 m x 10	300 m	100 m x 10	300 m	Diam.	kg	lb		100 m x 10	300 m	100 m x 10	300 m
0.12	1.25	2.75		•		•		0.25	5.4	12.0		•	•	•	•
0.14	1.9	4.2		•		•		0.28	6.6	14.5		•	•	•	•
0.16	2.2	4.8		•	•	•	•	0.30	7.7	16.9		•	•	•	•
0.18	2.8	6.1		•	•	•	•	0.35	10.3	23.0		•	•	•	•
0.20	3.3	7.3		•	•	•	•	0.40	13.0	29.0		•	•	•	•
0.23	4.4	9.7		•	•	•	•	0.45	15.4	34.0		•	•	•	•
								0.50	19.5	43.0		•	•	•	•

THE WORLD'S MOST hardcore FISHING LINE.

SIEGE™



100 m x 10 connected spools.

FOR LONGER, MORE ACCURATE CASTS AND UNMATCHED TOUGHNESS,
THIS LINE BELONGS ON YOUR REEL.

Superior casting distance with pinpoint accuracy due to its Proprietary Extrusion Process

Up to 15X greater abrasion resistance from new XV2 technology

Exceptional knot strength and smooth handling

Exclusive G2 Precision Winding™ (100 and 300 m spools) virtually eliminates line memory

SPECIFICATIONS			CLEAR		LO VIS GREEN		CAMO	SPECIFICATIONS			CLEAR		LO VIS GREEN		CAMO
Diam.	kg	lb	100 m x 10	300 m	100 m x 10	300 m	300 m	Diam.	kg	lb	100 m x 10	300 m	100 m x 10	300 m	300 m
0.20	3.1	6.9	•	•	•	•		0.35	9.4	20.7	•	•	•	•	•
0.23	4.2	9.2	•	•	•	•		0.40	12.0	26.4	•	•	•	•	•
0.25	5.0	11.0	•	•	•	•		0.45	15.0	33.0	•	•	•	•	•
0.28	6.2	13.6	•	•	•	•		0.50	18.1	40.0	•	•	•	•	•
0.30	7.2	15.8	•	•	•	•									

THE WORLD'S MOST hardcore FISHING LINE.

XL STRONG



100 m x 10 connected spools.

THIS SMOOTH LINE IS EXCEPTIONAL FOR CASTING, OFFERING LESS TWISTING, FEWER KINKS AND LESS BACKLASHES. MADE WITH A SUPER COPOLYMER NYLON FORMULA, XL STRONG OFFERS ADDED TOUGHNESS AND EXCELLENT ABRASION RESISTANCE.

High tensile & knot strength • Superb casting

SPECIFICATIONS			CLEAR					LEMON GREEN				NEON YELLOW			PLATINUM				SMOKE GREEN				
Diam.	kg	lb	100 m x 10	150 m	300 m	600 m	1/4 lb	100 m x 10	150 m	300 m	600 m	100 m x 10	150 m	600 m	100 m x 10	150 m	300 m	600 m	1/4 lb	100 m x 10	300 m	600 m	1/4 lb
0.14	1.9	4.2	•	•				•	•					•	•								
0.16	2.2	4.8	•	•	•	•		•	•	•				•	•	•	•						
0.18	2.8	6.1	•	•	•	•		•	•	•				•	•	•	•						
0.20	3.3	7.3	•	•	•	•	•	•	•	•	•			•	•	•	•	•	•	•	•	•	•
0.23	4.4	9.7	•	•	•	•	•	•	•	•	•			•	•	•	•	•	•	•	•	•	•
0.25	5.4	12.0	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
0.28	6.6	14.5	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
0.30	7.7	16.9	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
0.35	10.3	23.0	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
0.40	13.0	29.0	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
0.45	15.4	34.0	•		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
0.50	19.5	43.0	•		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
0.60	27.3	60.0	•		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•

THE WORLD'S MOST hardcore FISHING LINE.

SYNERGY



CLEAR

LO-VIS GREEN



100 m x 10 connected spools.

OUR EXCLUSIVE SUPER BOND POLYMER TECHNOLOGY AND THERMAL BLEND MANUFACTURING PROCESS INCREASES THE LINE'S KNOT STRENGTH AND ABRASION RESISTANCE.

SPECIFICATIONS			CLEAR			LO VIS GREEN				
Diam.	kg	lb	100 m x 10	600 m	1000 m	100 m x 10	300 m	600 m	1000 m	1/4 lb
0.20	2.7	6.0	•	•	•	•	•	•	•	•
0.25	4.2	9.0	•	•	•	•	•	•	•	•
0.28	5.5	12.0	•	•	•	•	•	•	•	•
0.30	6.3	14.0	•	•	•	•	•	•	•	•
0.35	8.7	19.0	•	•	•	•	•	•	•	•
0.40	11.0	24.0	•	•	•	•	•	•	•	•
0.45	13.7	30.0	•	•	•	•	•	•	•	•
0.50	17.0	37.0	•	•	•	•	•	•	•	•
0.55	20.5	45.0		•	•					
0.65	30.0	65.0		•	•					

THE WORLD'S MOST hardcore FISHING LINE.

SUPREME



CLEAR

BLUE

DARK GREEN

SMOKE

BROWN

100 m x 10 connected spools.

SPECIALLY BLENDED JAPANESE COPOLYMER NYLON PROVIDES GREAT TENSILE STRENGTH, HIGH SHOCK STRENGTH AND CONTROLLED STRETCH.

SPECIFICATIONS			CLEAR		BLUE			DARK GREEN			SMOKE		BROWN	
Diam.	kg	lb	100 m X 10	300 m	100 m X 10	300 m	1000 m	100m X 10	300 m	1/4 lb	100 m X 10	300 m	100 m X 10	600 m
0.15	1.8	3.9	•	•	•	•		•	•					
0.18	2.4	5.0	•	•	•	•		•	•					
0.20	3.2	7.0	•	•	•	•	•	•	•		•	•	•	•
0.25	4.5	10.0	•	•	•	•	•	•	•		•	•	•	•
0.28	5.8	12.8	•	•	•	•	•	•	•		•	•	•	•
0.30	6.6	14.5	•	•	•	•	•	•	•		•	•	•	•
0.35	8.8	19.4	•	•	•	•	•	•	•		•	•	•	•
0.40	11.0	24.0	•	•	•	•	•	•	•		•	•	•	•
0.45	13.7	30.0	•	•	•	•	•	•	•		•	•	•	•
0.50	17.3	38.0	•	•	•	•	•	•	•		•	•	•	•
0.60	24.0	53.0	•		•		•	•		•				
0.70	32.0	70.0	•		•		•	•			•			
0.80	40.5	89.0	•		•		•	•			•			
0.90	50.0	110.0	•		•		•	•			•			
1.00	61.0	134.0	•		•		•	•			•			
1.20	84.0	185.0	•		•						•			

THE WORLD'S MOST hardcore FISHING LINE.

CAST'N CATCH




100 m x 10 connected spools.

FORMULATED WITH SPECIFIC FLEXIBILITY AND LIMPNESS TO ENHANCE CASTING AND EASE IN HANDLING.


Extra performance • Dependable

SPECIFICATIONS			CLEAR			DARK GREEN		BLUE	
			100 m X 10	600 m	ECO	100 m X 10	600 m	100 m X 10	600 m
Diam.	kg	lb							
0.20	2.5	5.5	•	•	•	•	•	•	•
0.25	3.3	7.0	•	•	•	•	•	•	•
0.28	4.4	10.0	•	•	•	•	•	•	•
0.30	5.4	12.0	•	•	•	•	•	•	•
0.35	6.8	15.0	•	•	•	•	•	•	•
0.40	9.0	20.0	•	•	•	•	•	•	•
0.45	11.4	25.0	•	•	•	•	•	•	•
0.50	13.7	30.0	•	•	•	•	•	•	•
0.60	20.5	45.0	•	•	•	•	•	•	•
0.70	27.0	60.0	•		•	•	•	•	•
0.80	34.0	75.0							•
0.90	41.0	90.0							
1.00	52.0	115.0							

THE WORLD'S MOST hardcore FISHING LINE.



ON METERED LINES EVERY 10 METERS HAS ITS OWN BASE COLOR. Within the 10 meter segment each meter is marked with a 5 cm long red line stripe and every 5 meter section is indicated by a 20 cm long black stripe. The five base color sequence is repeated through the full length of the line.



PERFORMANCE BRAID METERED



METERED BRAID.
ALL THE BENEFITS OF BRAID
IN A METERED SUPERLINE.

- Exclusive Y6 braiding provides a tight weave that stays round and handles beautifully
- Exceptionally high strength-to-diameter ratio
 - Extremely low stretch for fast hooksets
- Five 10 meter color segments with 1 meter indicators and a 5 meter mark on each segment for precision depth management

SPECIFICATIONS			MULTI-COLOR METERED	
Diam.	kg	lb	300 m	1000 m
0.23	16.4	36	•	•
0.30	23.0	51	•	•
0.34	29.2	64	•	•
0.36	32.0	70	•	•
0.38	38.0	84	•	•
0.50	58.0	128	•	•
0.58	80.0	176	•	•

MATRIX PRO METERED



Every angler can easily recognize how deep and how far the line is based on different colors on the braid.

100% Dyneema® fibers. Five 10 meter color segments with 1 meter indicators and a 5 meter mark on each segment for precision depth management

SPECIFICATIONS			MULTI-COLOR METERED		
Diam.	kg	lb	100 m x 6	250 m	1000 m
0.12	6.7	15	•	•	•
0.14	8.4	18	•	•	•
0.16	9.2	20	•	•	•
0.18	12.0	26	•	•	•
0.20	13.0	29	•	•	•
0.23	15.5	34	•	•	•
0.27	20.0	44	•	•	•
0.30	22.0	48	•	•	•
0.34	25.0	55	•	•	•
0.36	31.2	69	•	•	•
0.38	37.0	81	•	•	•

THE WORLD'S MOST hardcore FISHING LINE.

PERFORMANCE FUSE METERED



FUSED MULTIFILAMENT LINE FOR PRECISION TROLLING

Five 10 meter color segments with 1 meter indicators and a 5 meter mark on each segment for precision depth management • Improved color pigments for enhanced color retention and intensity • 100% Dyneema® fiber • Virtually zero stretch • Ultra fine diameter • Superior tensile and knot strength

SPECIFICATIONS			MULTI-COLOR METERED
Diam.	kg	lb	250 m
0.18	10.4	23	•
0.20	12.8	28	•
0.23	15.5	34	•
0.30	21.0	46	•
0.34	25.0	55	•

BIG FISH



Conforms to all IGFA class requirements and has a heavy wax impregnation which protects the line from nicks, cuts and chafes. Eliminates strength loss from knots and from splicing.

SPECIFICATIONS		WHITE/GREEN SPEC		
kg	lb	600 m	900 m	1000 m
9	20	•		
14	30	•	•	
24	50	•	•	
37	80	•		•
45	100			•
60	130			•

832 ADVANCED LEADCORE



THE FIRST LEAD CORE TO COMBINE BOTH DYNEEMA® & GORE® PERFORMANCE FIBERS.

Dives 30% deeper & is 70% stronger than traditional lead core • Infinitely more sensitive • The composition of these two fibers braided around the lead core wire creates the fastest sinking, strongest, most abrasion resistant, roundest, UV protected lead core line on the market.

- 3X the abrasion resistance • Greater resistance to UV rays and sunlight • 10 meters per color

SPECIFICATIONS			MULTICOLOR METERED
kg	lb	g/m	100 m
5.4	12	2.0	•
8.2	18	2.0	•
12.2	27	2.5	•

THE WORLD'S MOST HARDCORE FISHING LINE.



PERFORMANCE LEADCORE



High tenacity polyester braid increases break strength and abrasion resistance while adding density for faster sinking speeds.



PERFORMANCE LEAD CORE IS DESIGNED WITH A HIGH DENSITY LEAD CENTER FOR EXCELLENT SINKING SPEED.

High density lead core • 10 Color sequence
• 10 meters per color

SPECIFICATIONS			MULTICOLOR METERED
kg	lb	g/m	100 m
8.2	18	2.0	•
12.2	27	2.0	•
16.3	36	2.5	•

THE WORLD'S MOST HARDCORE FISHING LINE.

WIND-ON LEADER



Versatile leaders attach to the mainline in seconds without knots or swivels.

FLUOROCARBON

SPECIFICATIONS			CLEAR + NATURAL TAN
Diam.	kg	lb	10 m
0.43	10.0	20.0	•
0.51	15.0	30.0	•
0.71	24.0	50.0	•
0.91	37.0	80.0	•
1.07	46.0	100.0	•
1.17	68.0	150.0	•
1.60	91.0	200.0	•
2.03	130.0	300.0	•
2.29	182.0	400.0	•

MONOFILAMENT

SPECIFICATIONS			CLEAR + NATURAL TAN
Diam.	kg	lb	10 m
0.46	10.0	20.0	•
0.50	15.0	30.0	•
0.65	24.0	50.0	•
0.80	37.0	80.0	•
0.90	46.0	100.0	•
1.20	68.0	150.0	•
1.40	91.0	200.0	•
1.60	130.0	300.0	•
1.80	182.0	400.0	•
2.00	227.0	500.0	•

K-BRAID



This is quite a special and unique double braided line. Fusion process to bond outside filaments with inner ones. It is popular for both hand fishing and for bottom fishing. A popular line for mackerel, tuna and other game fish.

SPECIFICATIONS		BLACK
kg	lb	100 m x 2
9	20	•
13	30	•
15	35	•
18	40	•
20	45	•
24	50	•
30	65	•
37	80	•
50	110	•
60	130	•
70	155	•
80	175	•

THE WORLD'S MOST hardcore FISHING LINE.

•NEW FOR 2014

SUPER CAT



A HIGH STRENGTH RIG AND LEADER LINE MADE FROM BULLET-PROOF ARAMID FIBERS.

Sinking • Easy to splice
Exceptional abrasion resistance

SPECIFICATIONS		OLIVE GREEN	
kg	lb	25 m	300 m
37	80	•	•
45	100	•	•
60	130	•	•
78	170	•	•
100	220	•	•

JIGGING BRAID



THIS SUPER STRONG, HIGH ABRASION RESISTANT AND RELIABLE BRAID CAN BE USED TO MAKE A VARIETY OF HOOK CONNECTIONS.

Super strong hook connecting braid
Made from bullet-proof aramid fibers
Hollow construction for easy splicing

SPECIFICATIONS		NATURAL TAN
kg	lb	5 m
50	110	•
64	140	•
82	180	•
127	280	•

KEY LIME™ IGFA



THE IDEAL THICK DIAMETER IGFA-RATED BIG GAME AND SPORT FISHING LINE THAT DELIVERS EXCEPTIONAL PERFORMANCE.

Consistent tensile strength to meet IGFA standards. Ultimate abrasion resistance for long, tough record battles. High knot strength and great shock absorption for sudden bursts that record game fish are known for.

SPECIFICATIONS				NEON LIME		
	Diam.	kg	lb	600 m	900 m	1000 m
0.27	4.0	8.0		•		
0.32	6.0	12.0		•		
0.37	8.0	16.0		•		
0.42	10.0	20.0		•	•	
0.52	15.0	30.0		•	•	
0.68	24.0	50.0		•	•	
0.86	37.0	80.0				•
1.10	60.0	130.0				•

ULTRA SUPREME



ULTRA SUPREME HAS THE MUSCLE AND SHOCK STRENGTH NEEDED TO HANDLE THE DEMANDING PUNISHMENT FOUND IN FRESH WATER AND SALT WATER FISHING.

SPECIFICATIONS			CLEAR		HI VIS YELLOW		
	Diam.	kg	lb	600 m	1000 m	600 m	1000 m
0.30	6.0	12.0		•	•	•	•
0.35	8.0	16.0		•	•	•	•
0.40	10.0	20.0		•	•	•	•
0.48	15.0	30.0		•	•	•	•
0.64	24.0	50.0		•	•	•	•
0.80	37.0	80.0			•		•
1.00	60.0	130.0			•		•

SUPERIOR



A STATE OF THE ART COPOLYMER NYLON MONOFILAMENT LEADER LINE WITH EXCELLENT STRENGTH TO DIAMETER.

Premium nylon mono leader.

SPECIFICATIONS			CLEAR
Diam.	kg	lb	100 m
0.45	10.0	20.0	•
0.50	15.0	30.0	•
0.60	20.0	40.0	•
0.65	24.0	50.0	•
0.70	27.0	60.0	•
0.80	37.0	80.0	•
0.90	46.0	100.0	•
1.00	60.0	130.0	•
1.20	68.0	150.0	•
1.40	91.0	200.0	•
1.50	113.0	250.0	•
1.60	130.0	300.0	•
1.80	182.0	400.0	•
2.00	227.0	500.0	•

SUPPLE LINK



THE ULTIMATE LEADER LINE FOR SURF, BOAT AND CARP FISHING.

This line can be easily straightened through your fingers and allows for perfect bait presentation.

SPECIFICATIONS			CLEAR	NEON ORANGE
Diam.	kg	lb	70 m	70 m
0.30	4.5	10.0	•	•
0.35	6.8	15.0	•	•
0.45	9.1	20.0	•	•
0.55	13.7	30.0	•	•
0.65	18.2	40.0	•	•
0.75	22.7	50.0	•	•

TRITANIUM



NEON GOLD

NEON ORANGE

HIGH SHOCK STRENGTH AND A SMOOTH OUTER SURFACE MAKES TRITANIUM IDEAL WHEN CASTING.

Surf & salt water monofilament

SPECIFICATIONS			NEON GOLD			NEON ORANGE		
Diam.	kg	lb	250 m	1000 m	1/4 lb	250 m	1000 m	1/4 lb
0.20	2.7	6.0	•	•		•	•	
0.25	4.2	9.0	•	•		•	•	
0.28	5.5	12.0	•	•	•	•	•	•
0.30	6.3	14.0	•	•	•	•	•	•
0.35	8.7	19.0	•	•	•	•	•	•
0.40	11.0	24.0	•	•	•	•	•	•
0.45	13.7	30.0	•	•	•	•	•	•
0.50	17.0	37.0	•	•	•	•	•	•
0.55	20.5	45.0			•			•
0.65	30.0	65.0			•			•

ZIPPY LEADER



ZIPPY LEADER

Made with a super copolymer, Zippy is a step above traditional nylon mono leaders.

Offers superior strength to diameter while delivering easy handling.

SPECIFICATIONS			CLEAR		
Diam.	kg	lb	100 m	80 m	50 m
0.35	6.0	12.0	•		
0.40	7.0	15.0	•		
0.45	10.0	20.0	•		
0.50	15.0	30.0	•		
0.55	20.0	40.0	•		
0.60	24.0	50.0	•		
0.70	27.0	60.0	•		
0.80	37.0	80.0	•		
0.90	46.0	100.0		•	
1.00	60.0	130.0		•	
1.20	68.0	150.0			•
1.40	91.0	200.0			•



FEEDER BRAID



OLIVE GREEN



DYNEEMA® BRAIDED LINE WITH TITANIUM COATED FIBERS. SUPER HIGH STRENGTH, SINKING DYNEEMA® FIBER BRAID, NEAR ZERO STRETCH AND QUICK BITE DETECTION. ULTRA FINE DIAMETERS MAKE CASTING ALMOST EFFORTLESS.

SPECIFICATIONS			OLIVE GREEN	
Diam.	kg	lb	100 m	
0.06	2.7	6	•	
0.08	3.6	8	•	
0.10	4.5	10	•	
0.12	5.4	12	•	
0.14	6.8	15	•	
0.18	9.1	20	•	

FEEDER MONO



BURGUNDY



100 m x 10 connected spools.

A STRONG, SUPPLE LINE THAT OFFERS ABRASION RESISTANCE, HIGH KNOT STRENGTH AND FAST SINKING. LOW STRETCH OFFERS GREATER SENSITIVITY AND FAST HOOK-SETTING.

SPECIFICATIONS			BURGUNDY	
Diam.	kg	lb	150 m x 10	150 m
0.14	1.9	4.2	•	•
0.16	2.2	4.8	•	•
0.18	2.8	6.1	•	•
0.20	3.3	7.3	•	•
0.23	4.4	9.7	•	•
0.25	5.4	12.0	•	•
0.28	6.6	14.5	•	•

ULTRA KNOT



100 m x 10 connected spools.

LOW MEMORY. HIGH KNOT STRENGTH, SUPPLENESS AND GOOD ABRASION RESISTANCE.

Ultra high knot strength & extra supple

SPECIFICATIONS			WHITE		CLEAR		OPAQUE YELLOW			SMOKE GREEN		
Diam.	kg	lb	100 m X 10	150 m	100 m X 10	150 m	100 m X 10	150 m	1/4 lb	100 m X 10	250 m	1/4 lb
0.165	2.1	4.6								•	•	
0.185	2.5	5.4	•	•	•	•				•	•	
0.205	2.8	6.0	•	•	•	•	•	•		•	•	
0.235	3.6	8.0	•	•	•	•	•	•		•	•	
0.255	4.3	10.0	•	•	•	•	•	•		•	•	
0.285	5.7	12.0	•	•	•	•	•	•	•	•	•	•
0.305	6.6	14.0	•	•	•	•	•	•	•	•	•	•
0.335	7.5	17.0	•	•	•	•	•	•	•	•	•	•
0.355	9.1	20.0	•	•	•	•	•	•	•	•	•	•
0.405	10.8	25.0	•	•	•	•	•	•	•	•	•	•
0.455	13.7	30.0	•		•	•				•	•	•
0.505	16.9	38.0	•		•	•				•	•	•

SUPER FINE



PREMIUM VIRGIN JAPANESE COPOLYMER MONOFILAMENT WITH VERY CONSISTENT DIAMETER AND VERY HIGH BREAKING STRENGTH TO DIAMETER RATIO. SINKING FORMULA LINE.

SPECIFICATIONS			CLEAR
Diam.	kg	lb	50 m
0.053	0.44	1.0	•
0.063	0.60	1.3	•
0.073	0.75	1.7	•
0.083	0.88	1.9	•
0.093	1.00	2.2	•
0.103	1.19	2.6	•
0.110	1.46	3.2	•
0.120	1.80	4.0	•
0.130	1.95	4.3	•
0.140	2.10	4.6	•
0.160	2.30	5.0	•
0.180	2.80	6.1	•
0.200	3.30	7.3	•

SPECIALIST ENGLISH MATCH



A PREMIUM SUPER MONO WITH EXCEPTIONAL KNOT STRENGTH, EXCELLENT ABRASION RESISTANCE.

SPECIFICATIONS			BURGUNDY
Diam.	kg	lb	150 m
0.13	1.95	4.3	•
0.15	2.2	4.8	•
0.17	2.6	5.8	•
0.20	3.3	7.3	•

SPECIALIST DEAD BAIT



A GREAT LINE FOR FISHING WITH DEAD BAIT. A GOOD LINE FOR PIKE, ZANDER AND OTHER CARNIVOROUS FISH.

SPECIFICATIONS			NEON ORANGE
Diam.	kg	lb	150 m
0.25	5.4	12	•
0.28	6.6	14.5	•
0.30	7.7	17	•

WITH SUFIX, THERE'S NOTHING YOU CAN'T CATCH.

SPECIALIST COLLECTION



SPECIALIST

Premium grade, high strength copolymer nylon with the toughness and abrasion resistance needed to battle bass, carp and other fresh water fish.

SPECIFICATIONS			BLUE SALTWATER		BROWN FRESHWATER	
Diam.	kg	lb	600 m	1000 m	750 m	1000 m
0.20	3.2	7.0	•			•
0.25	4.5	10.0	•			•
0.28	5.8	12.8	•			•
0.30	6.6	14.5	•			•
0.35	8.8	19.4	•			•
0.40	11.0	24.0		•		•
0.45	13.7	30.0		•		•
0.50	17.3	38.0		•	•	

SPECIALIST TROUT

An extremely strong and supple line that is ideal for casting and light tackle fishing.

SPECIFICATIONS			PLATINUM
Diam.	kg	lb	150 m
0.15	2.2	4.8	•
0.18	2.6	5.8	•
0.20	3.3	7.3	•
0.22	4.4	9.7	•
0.25	5.4	11.9	•

SPECIALIST CARP

A great line when a big carp drags your line along silk weeds or a gravel bar.

SPECIFICATIONS			BROWN
Diam.	kg	lb	500 m
0.28	5.5	12.0	•
0.30	6.4	14.0	•
0.35	8.8	19.4	•
0.40	11.0	25.0	•

THE WORLD'S MOST hardcore FISHING LINE.

SPECIALIST COLLECTION



SPECIALIST PIKE

Exceptional shock strength needed to withstand quick runs often associated with pike hook-ups.

SPECIFICATIONS			ECO	DARK GREEN
Diam.	kg	lb	150 m	150 m
0.28	5.5	12	•	•
0.30	6.4	14	•	•
0.35	8.8	19.4	•	•
0.40	11	25	•	•

SPECIALIST ZANDER

A soft and supple super copolymer with exceptional abrasion resistance.

SPECIFICATIONS			CAMO GREEN
Diam.	kg	lb	150 m
0.23	4	8.8	•
0.25	5	10.8	•
0.28	6	13.2	•
0.30	7	15.4	•

SPECIALIST ROACH

A consistent diameter line that offers reliable performance and high knot strength needed by roach fishermen.

SPECIFICATIONS			CLEAR
Diam.	kg	lb	150 m
0.08	0.88	1.9	•
0.10	1.2	2.6	•
0.12	1.8	4	•
0.14	1.95	4.3	•
0.16	2.2	4.8	•
0.18	2.6	5.8	•
0.20	3.3	7.3	•
0.22	4.4	9.7	•
0.24	5	10.8	•



832 CARP ADVANCED SUPERLINE®



ADVANCED BRAIDED LINE MADE WITH
DYNEEMA® AND GORE® PERFORMANCE FIBERS.

Ultra-fast sinking and unrivaled abrasion resistance – up to 30 times greater than other braids. R8 Precision Braiding fiber technology provide.

superior strength, roundness and line consistency. Gore® Performance Fibers increase casting length and accuracy plus reduce line vibration.

SPECIFICATIONS			OLIVE GREEN	
Diam.	kg	lb	300 m	600 m
0.13	8.2	18	•	•
0.15	9.2	20	•	•
0.18	12.0	26	•	•

SPECIFICATIONS			OLIVE GREEN	
Diam.	kg	lb	300 m	600 m
0.20	13.5	30	•	•
0.24	17.7	39	•	•
0.28	22.8	50	•	•

THE WORLD'S MOST hardcore FISHING LINE.

SYNERGY CARP FLUOROCARBON



UNSURPASSED ABRASION RESISTANCE FOR FISHING IN CHALLENGING SITUATIONS AND AROUND STRUCTURE.

Fast sink rate to eliminate the effects of wind drift on the surface and current in the water column. Easy handling for long and frequent casts.

SPECIFICATIONS			CLEAR	OLIVE GREEN
Diam.	kg	lb	150 m	150 m
0.28	5.5	12	•	•
0.30	6.4	14	•	•
0.33	7.3	16	•	•
0.37	8.2	18	•	•
0.40	9.1	20	•	•

SYNERGY CARP



HIGH PERFORMANCE CARP MONOFILAMENT

with ultra-high 15X abrasion resistance thanks to the new exclusive XV2 extrusion technology. Smooth and supple for increased casting distance. Superior tensile & knot strength.

SPECIFICATIONS			OLIVE GREEN		
Diam.	kg	lb	300 m	1000 m	1/4 lb
0.24	4.5	10	•	•	•
0.26	5.4	12	•	•	•
0.30	6.8	15	•	•	•
0.33	8.1	18	•	•	•
0.35	9.0	20	•	•	•
0.37	10.8	24	•	•	•

CARP COLLECTION



DUO CORE

The unique side-by-side camouflage colors break the limits of the ordinary dyed camo lines, cast as many times as you like and maintain the camouflage color. Exceptional strength and durability

SPECIFICATIONS			CAMOUFLAGE	
Diam.	kg	lb	300 m	1000 m
0.20	3.0	6.7	•	•
0.25	4.9	10.7	•	•
0.28	6.0	13.2	•	•
0.30	7.0	15.3	•	•
0.35	9.1	20.1	•	•
0.40	11.6	25.6	•	•
0.45	14.6	32.0	•	•

OLIVE GREEN



BALLISTIC

The ultimate braided leader material. Ballistic is an extremely strong and supple braid with neutral buoyancy and extremely high abrasion resistance. Perfect for making shock leaders for use on spod or marker rods or as shock/snag leaders when fishing in extremely snaggy conditions.

SPECIFICATIONS			OLIVE GREEN
kg	lb		20 m
11.4	25		•
15.9	35		•
20.4	45		•

NEON YELLOW

NEON ORANGE



10 m spool.

KNOT-IT

Fluorescent braid material specifically created make tying marker/range knots easily allowing you to recast accurately to a baited area or feature.

ARMA-CORE



The most advanced braided hooklink for big carp everywhere, combining 4 carriers of Dyneema® woven together with 4 carriers of Gore® Performance Fibres creating the ultimate in strength and abrasion resistance.

The Gore Performance Fibres make Arma-Core sink as fast as fluorocarbon whilst Arma-Core's superb suppleness allow it to follow the contours of the lake bed to reduce the chances of spooking any fish.

SPECIFICATIONS		WEED	GRAVEL	SILT
kg	lb	10 m	10 m	10 m
7	15	•	•	•
9	20	•	•	•
12	25	•	•	•
16	35	•	•	•



ARMA-SKIN



The coated skin version of Arma-Core, this semi-stiff coated hooklink combines 4 carriers of Dyneema woven together with 4 carriers of Gore Performance Fibres which are covered in a clear strippable outer allowing you to expose the supple inner and create Combi-rigs in seconds.

Combining unrivalled strength and abrasion resistance, the Gore Performance Fibres make Arma-Skin sink at a similar rate as Fluorocarbon ensuring your hooklink doesn't loop up off the lake bed.

SPECIFICATIONS		WEED	GRAVEL	SILT
kg	lb	10 m	10 m	10 m
7	15	•	•	•
9	20	•	•	•
12	25	•	•	•
16	35	•	•	•
20.4	45	•	•	•

WITH SUFIX, THERE'S NOTHING YOU CAN'T CATCH.

HOOK LINK COLLECTION

CAMO BROWN

CAMO GREEN



STEALTH BROWN

STEALTH GREEN



CAMOUFLAGE



BLACK



CAMO SKIN

Featuring a semi-stiff coated skin, this fast sinking hooklink comes in two subtle camouflage colors which help in blend in whether you're fishing over a "choddy" or weedy bottom. Perfect for creating combi-links, Camo Skin can also be used very effectively without stripping back any outer coating.

SPECIFICATIONS		CAMO GREEN	
kg	lb	20 m	15 m
7	15	•	
12	25	•	
16	35	•	
21	45		•

SHEATH SKIN

Low diameter, neutral buoyancy with matching color inner core, Sheath Skin has a very smooth semi-stiff outer coating and can be used straight from the spool or with a tiny amount stripped back to create a hinge.

SPECIFICATIONS		STEALTH BROWN		STEALTH GREEN	
kg	lb	20 m	15 m	20 m	15 m
5	10	•		•	
7	15	•		•	
12	25	•		•	
16	35	•		•	
21	45		•		•

KAMELEON

Featuring a multi color, super smooth semi-stiff strippable outer skin. Kameleon incorporates a woven Dyneema® core which replicates the outer skin colors creating the ultimate in concealment. Offering excellent abrasion resistance, this neutral buoyancy hooklink material is the perfect combi rig material.

SPECIFICATIONS		CAMOUFLAGE	
kg	lb	20 m	15 m
7	15	•	
12	25	•	
16	35	•	
21	45		•

BLACK SILT

Designed especially for fishing over the "silty" areas of the lake bed, Black Silt features a fairly soft strippable outer which coupled with its neutral density black inner core make this is perfect choice for fishing balanced bait presentations.

SPECIFICATIONS		BLACK	
kg	lb	20 m	15 m
5	10	•	
7	15	•	
12	25	•	
16	35	•	
21	45		•

THE WORLD'S MOST HARDCORE FISHING LINE.

HOOK LINK COLLECTION



STIFF SILT

This specialist stiff coated hooklink is unlike anything else in the Hooklink Collection. Designed for creating very rigid/stiff links which behave similar to the Stiff Hinge rig. You simply straighten the rig out by "steaming it over a kettle" after construction. Ultra fast sinking.

SPECIFICATIONS		BLACK	
kg	lb	10 m	20 m
7	15		•
12	25		•
16	35	•	

HERCULINE HEAVY

Ultra fast sinking version of our Herculine Blend, this "Heavy" version has extremely high abrasion resistance with virtually zero stretch. Again, perfect for all solid PVA bag presentations, this soft supple hooklink should always be used with tubing to prevent tangles.

SPECIFICATIONS		WEED GRAVEL
kg	lb	20 m
6.8	15	•
9.1	20	•
13.6	30	•

HERCULINE BLEND

Slow sinking braid with neutral buoyancy, this soft, extremely soft hooklink is perfect for all rig presentations including supple rigs to be used in solid PVA bags.

SPECIFICATIONS		WEED GREEN
kg	lb	20 m
4.5	10	•
6.8	15	•
9.1	20	•
11.4	25	•

MAGICIAN

Ultra soft and extremely supple, Magician is a super strong Dyneema® blended hooklink with a green fleck that sinks well as it takes on water. As with all the braided hooklinks, this is a perfect for all rig presentations.

SPECIFICATIONS		GREEN FLECK
kg	lb	20 m
6.8	15	•
9.1	20	•
11.4	25	•
13.6	30	•

HOOK LINK COLLECTION



SILKY SOFT

Extremely soft with a silky smooth finish, the Clay Grey colored Silky Soft is the ideal choice when fishing over silt while the Invisi-Green provides the perfect camouflage when presenting a rig over silk weed. With excellent knot strength and high abrasion resistance, this hooklink will ensure natural bait movement.

SPECIFICATIONS		CLAY GRAY	INVISI GREEN
kg	lb	20 m	20 m
5.5	12	•	•
6.8	15	•	•
12	25	•	•
16	35	•	•
21	45	•	•

CLAY GRAY

INVISI-GREEN



HEAVY CORE

This "lead-free" heavyweight material has been designed as an alternative to regular leadcore. Ideal for constructing all types of leaders, the woven outer has been braided to ensure it remains easy to splice yet tight enough to ensure the inner core doesn't break out. The color options ensure that there is a good match for the lake bed your fishing.

SPECIFICATIONS		CAMO GREEN	CAMO BROWN	GRAVEL GREEN
kg	lb	10 m	10 m	10 m
11.4	25	•	•	•
15.6	35	•	•	•
20.4	45	•	•	•



NUFLEX

Neutral density materials used in the construction of NuFlex ensure this is the perfect slow sinking braided hooklink material making it ideal for fishing over weed beds. High knot strength with impressive abrasion resistance, it's very soft supple properties will ensure any bait is presented in the most natural way possible.

SPECIFICATIONS		BROWN FLECK
kg	lb	20 m
4.5	10	•
6.8	15	•
9.1	20	•
16	35	•



SUPPLE LINK

Originally designed as a leader material, Supple Link is perfect for creating "Stiff Hinge" and combi rigs by combining a rigid boom with a short section of soft braid. Also the perfect material for creating lead links for marker float set ups.

SPECIFICATIONS			CLEAR	BLACK
Diam.	kg	lb	70 m	70 m
0.30	4.5	10.0	•	•
0.35	6.8	15.0	•	•
0.45	9.1	20.0	•	•
0.55	13.7	30.0	•	•
0.65	18.2	40.0	•	•
0.75	22.7	50.0	•	•

•NEW FOR 2014

CARP RIGS

Hook Size	Bait Size
1	22-26 mm
2	22-26 mm
4	18-22 mm
6	16-18 mm
8	14-16 mm



HAIR RIG (NUFLEX BRAID)

The rig that revolutionized carp fishing, the hair rig remains one of the most effective rigs every made. Tied to our neutral buoyancy Nu-Flex braid, these rigs are suitable for use with both bottom or pop-up baits. Fitted with a QC swivel, this soft, supple hooklink is ideal for use with PVA bag set ups.

Hook sizes 1-8 barbed & 4-8 barbless for pop-up and bottom baits.



COMBI RIG (CAMO SKIN)

This extremely versatile rig can be used with both bottom and buoyant baits with the simple addition of a shot or piece of tungsten putty to counterbalance the pop-up. The stripped back section allows for free movement of the hookbait whilst the stiffer skin section helps minimise tangles when casting.

Hook sizes 1-8 barbed and 4-8 barbless for pop-up & bottom baits.



LINE ALIGNER BRAID (HERCULINE BLEND BRAID)

Ideal rig choice when fishing for pressured carp that have become wise to a normal hair rig. The moulded line aligner has been designed to help turn the hook point into the bottom lip whilst the rig ring allows for the bait to be blown back during ejection improving the chances of a successful hook up.

Hook sizes 1-8 barbed and 4-8 barbless for bottom and snowman baits.



LINE ALIGNER SKIN (CAMFUSION)

Tied with Camfusion to minimise tangles, this is the ideal rig choice when fishing for pressured carp that have become wise to a normal hair rig. The moulded line aligner has been designed to help turn the hook point into the bottom lip whilst the rig ring allows for the bait to be blown back during ejection improving the chances of a successful hook up.

Hook sizes 1-8 barbed and 4-8 barbless for bottom and snowman baits.



KD RIG (SHEATH SKIN)

Perfect choice rig when something different is required for use on waters when normal rigs have 'blown'. Whilst it can be used with both buoyant or bottom baits, it is at its most effective when used with a pop-up which is counterbalanced by adding a small shot in-between the bait and the hook.

Hook sizes 1-8 barbed and 4-8 barbless for pop-up & bottom baits.



D RIG (HERCULINE BLEND BRAID)

Originally designed for use with pop-ups this still remains one of the most effective anti eject rigs ever devised. Extremely versatile, it can also be used with both Snowman and Bottom bait presentations.

Hook sizes 1-8 barbed for pop-up, bottom & snowman baits.

FLY LINE BACKING



NEON YELLOW

WHITE

100 yds x 6 connected spools.

Thin diameter, hollow core backing.
Unique wax treatment protects the
line integrity and reduces friction.
Low stretch Dacron braided line.

SPECIFICATIONS		NEON YELLOW			WHITE		
kg	lb	100 yds x 6	100 yds	2500 yds	100 yds x 6	100 yds	2500 yds
9.1	20	•	•	•	•	•	•
13.6	30	•	•	•	•	•	•

SHOOTING LINE



FLUO. LIME

FLUO. ORANGE

SHOOTING LINE - THE FLOATING
FEATURE IS ACHIEVED
BY ENGINEERING SEVERAL
MICRO-CAVITIES INSIDE
THE MONO.

Low memory • Easy casting • High strength
Dependable shooting line

SPECIFICATIONS		FLUO. LIME	FLUO. ORANGE
kg	lb	35 m	35 m
6.8	15	•	•
11.4	25	•	•
15.9	35	•	•
22.7	50	•	•

FLY LINE COLLECTION



CLEAR



FLUORO TIPPET

100% fluorocarbon • Fast Sinking

SPECIFICATIONS			CLEAR
Diam.	kg	lb	25 m
0.108	0.91	2	•
0.138	1.4	3	•
0.158	1.8	4	•
0.178	2.3	5	•
0.203	2.7	6	•
0.245	3.6	8	•
0.295	4.5	10	•
0.318	5.4	12	•

CLEAR



SUPER TIPPET

High tech copolymer • High knot strength

SPECIFICATIONS			CLEAR
Diam.	kg	lb	30 m
0.102	1.1	2.5	•
0.127	1.6	3.5	•
0.155	2.3	5	•
0.178	2.7	6	•
0.203	3.6	8	•
0.222	4.5	10	•
0.254	5.4	12	•
0.279	6.8	15	•

CLEAR



SUPER TIPPET SALMON

Excellent shock strength • High knot strength
Low memory

SPECIFICATIONS			CLEAR
Diam.	kg	lb	40 m
0.30	8.2	18	•
0.35	10.0	22	•
0.40	12.7	28	•
0.45	15.0	33	•
0.50	18.2	40	•
0.55	20.5	45	•
0.60	24.1	53	•

832 ICE BRAID



THE STRONGEST, MOST DURABLE
SMALL DIAMETER ICE BRAID

Patent-pending construction of 8 fibers
(7 Dyneema® and 1 GORE® Performance Fiber)
combined with a hydrophobic water-repellent
protection that resists freezing.

SPECIFICATIONS			NEON LIME	
Diam.	kg	lb	50 m	
0.06	2.9	6	•	
0.08	3.7	8	•	
0.10	5.9	13	•	
0.13	8.2	18	•	
0.15	9.2	20	•	
0.18	12.0	26	•	
0.20	13.5	30	•	
0.24	17.7	39	•	
0.28	22.8	50	•	

832 ICE BRAID & INVISILINE COMBO

NEW FOR 2014



SPECIAL COMBO SPOOL WITH
THE 832 ICE BRAID AND INVISILINE
FLUOROCARBON IN MATCHED
DIAMETER COMBINATIONS.

SPECIFICATIONS			Invisiline Diametres			NEON LIME + CLEAR
Braid Diam.	kg	lb				50 m + 3x5 m
0.06	2.9	6	0.12	0.15	0.17	•
0.08	3.7	8	0.15	0.17	0.21	•
0.10	5.9	13	0.17	0.21	0.24	•
0.13	8.2	18	0.21	0.24	0.27	•
0.15	9.2	20	0.24	0.27	0.30	•
0.18	12.0	26	0.27	0.30	0.37	•
0.20	13.5	30	0.30	0.37	0.44	•

WITH SUFIX, THERE'S NOTHING YOU CAN'T CATCH.

ICE FISHING COLLECTION



ICE BRAID

Near zero stretch and incredible sensitivity
Super strong • Ultra quiet • Anti-ice slick coated

SPECIFICATIONS				STEEL GRAY
Diam.	kg	lb		50 m
0.06	2.7	6		•
0.08	3.7	8		•
0.10	4.5	10		•
0.12	5.4	12		•
0.14	6.8	15		•
0.16	8.2	18		•
0.18	9.1	20		•
0.20	11.4	25		•
0.24	13.6	30		•



ICE MAGIC

Low memory, high knot and tensile strength
with a soft and supple feeling.

SPECIFICATIONS			CRYSTAL CLEAR		PLATINUM	
Diam.	kg	lb	30 m x 12	30 m	30 m x 12	30 m
0.065	0.6	1.3	•	•		
0.085	0.9	1.9	•	•		
0.095	1.0	2.2	•	•		
0.105	1.2	2.6	•	•		
0.115	1.8	4.0	•	•	•	•
0.135	2.0	4.4	•	•	•	•
0.155	2.2	4.8	•	•	•	•
0.175	2.6	5.8	•	•	•	•
0.195	3.3	7.3	•	•	•	•
0.225	4.4	9.7	•	•	•	•
0.245	5.4	12.0	•	•	•	•
0.280	6.6	14.5		•		•
0.300	7.7	17.0		•		•
0.330	9.4	20.0		•		
0.350	10.3	23.0		•		
0.380	12.3	27.0		•		

30 m x 12 connected spools.

THE WORLD'S MOST hardcore FISHING LINE.

WITH SUFIX, THERE'S NOTHING YOU CAN'T CATCH.

COMMERCIAL LINES

SUPER SOFT – Leader material or mother line for coastal fishing.

**SUPER SOFT
EXTRA SOFT**

SPECIFICATIONS			HANKS BY WEIGHT			HANKS BY 1000 m		COIL 100 m X 5		SPOOL BY 1 kg	SPOOL BY 2 kg
Ref.	Diam (mm)	Meters by kg	WGT HANK	DIAM. HANK	CASE LOT	DIAM.	CASE LOT	DIAM.	CASE LOT	CASE LOT	CASE LOT
Nylon 6	0.40	6775	0,5 kg	43 cm	25	43 cm	140	15 cm	280	4/16	6
Nylon 6	0.50	4315	0,5 kg	43 cm	25	43 cm	80	15 cm	170	4/16	6
Nylon 6	0.60	2995	1,0 kg	43 cm	25	43 cm	60	15 cm	120	4/16	6
Nylon 6	0.70	2200	1,0 kg	43 cm	25	43 cm	45	15 cm	100	4/16	6
Nylon 6	0.80	1670	1,0 kg	43 cm	25	43 cm	30	25 cm	70	4/16	6
Nylon 6	0.90	1320	1,0 kg	43 cm	22	43 cm	30	25 cm	50	4/16	6
Nylon 6	1.00	1100	1,0 kg	43 cm	22	43 cm	20	25 cm	52	4/16	6
Nylon 6	1.10	880	2,0 kg	43 cm	13	43 cm	20	25 cm	40		6
Nylon 6	1.20	745	2,0 kg	43 cm	13	43 cm	15	25 cm	30		6
Nylon 6	1.30	635	2,0 kg	43 cm	13	43 cm	12	25 cm	30		6
Nylon 6	1.40	548	2,0 kg	43 cm	13	43 cm	11	25 cm	24		6
Nylon 6	1.50	477	2,0 kg	43 cm	13	43 cm	10	25 cm	20		6
Nylon 6	1.60	419	2,0 kg	43 cm	13	43 cm	9	25 cm	16		6
Nylon 6	1.80	331	2,0 kg	43 cm	12	43 cm	7	25 cm	12		6
Nylon 6	2.00	268	2,0 kg	43 cm	12	43 cm	5	25 cm	10		6

SUPER SOFT - HIGH STRENGTH – Longline mainline.

**SUPER SOFT
HIGH STRENGTH**

SPECIFICATIONS			HANKS BY WEIGHT			HANKS BY 1000 m		COIL 100 m X 5		SPOOL BY 1 kg	SPOOL BY 2 kg
Ref.	Diam (mm)	Meters by kg	WGT HANK	DIAM. HANK	CASE LOT	DIAM.	CASE LOT	DIAM.	CASE LOT	CASE LOT	CASE LOT
50% copo	0.40	6775	0,5 kg	43 cm	25	43 cm	140	15 cm	280	4/16	6
50% copo	0.50	4315	0,5 kg	43 cm	25	43 cm	80	15 cm	170	4/16	6
50% copo	0.60	2995	1,0v	43 cm	25	43 cm	60	15 cm	120	4/16	6
50% copo	0.70	2200	1,0 kg	43 cm	25	43 cm	45	15 cm	100	4/16	6
50% copo	0.80	1670	1,0 kg	43 cm	25	43 cm	30	25 cm	70	4/16	6
50% copo	0.90	1320	1,0 kg	43 cm	22	43 cm	30	25 cm	50	4/16	6
50% copo	1.00	1100	1,0 kg	43 cm	22	43 cm	20	25 cm	52	4/16	6
50% copo	1.10	880	2,0 kg	43 cm	13	43 cm	20	25 cm	40		6
50% copo	1.20	745	2,0 kg	43 cm	13	43 cm	15	25 cm	30		6
50% copo	1.30	635	2,0 kg	43 cm	13	43 cm	12	25 cm	30		6
50% copo	1.40	548	2,0 kg	43 cm	13	43 cm	11	25 cm	24		6
50% copo	1.50	477	2,0 kg	43 cm	13	43 cm	10	25 cm	20		6
50% copo	1.60	419	2,0 kg	43 cm	13	43 cm	9	25 cm	16		6
50% copo	1.80	331	2,0 kg	43 cm	12	43 cm	7	25 cm	12		6
50% copo	2.00	268	2,0 kg	43 cm	12	43 cm	5	25 cm	10		6

3X-STRONG – Longline mother line and for large trolling reels.

**3X STRONG
MEMORY FREE**

SPECIFICATIONS			HANKS BY WEIGHT			HANKS BY 1000 m		COIL 100 m X 5		SPOOL BY 1 kg	SPOOL BY 2 kg
Ref.	Diam (mm)	Meters by kg	WGT HANK	DIAM. HANK	CASE LOT	DIAM.	CASE LOT	DIAM.	CASE LOT	CASE LOT	CASE LOT
100% copo	0.40	6775	0,5 kg	43 cm	25	43 cm	140	15 cm	280	4/16	6
100% copo	0.50	4315	0,5 kg	43 cm	25	43 cm	80	15 cm	170	4/16	6
100% copo	0.60	2995	1,0 kg	43 cm	25	43 cm	60	15 cm	120	4/16	6
100% copo	0.70	2200	1,0 kg	43 cm	25	43 cm	45	15 cm	100	4/16	6
100% copo	0.80	1670	1,0 kg	43 cm	25	43 cm	30	25 cm	70	4/16	6
100% copo	0.90	1320	1,0 kg	43 cm	22	43 cm	30	25 cm	50	4/16	6
100% copo	1.00	1100	1,0 kg	43 cm	22	43 cm	20	25 cm	52	4/16	6
100% copo	1.10	880	2,0 kg	43 cm	13	43 cm	20	25 cm	40		6
100% copo	1.20	745	2,0 kg	43 cm	13	43 cm	15	25 cm	30		6
100% copo	1.30	635	2,0 kg	43 cm	13	43 cm	12	25 cm	30		6
100% copo	1.40	548	2,0 kg	43 cm	13	43 cm	11	25 cm	24		6
100% copo	1.50	477	2,0 kg	43 cm	13	43 cm	10	25 cm	20		6
100% copo	1.60	419	2,0 kg	43 cm	13	43 cm	9	25 cm	16		6
100% copo	1.80	331	2,0 kg	43 cm	12	43 cm	7	25 cm	12		6
100% copo	2.00	268	2,0 kg	43 cm	12	43 cm	5	25 cm	10		6
100% copo	2.50					43 cm	6				6

THE WORLD'S MOST HARDCORE FISHING LINE.



R8 BRAIDING

Line constructed of 8 fibers (carriers) provides superior strength, roundness and line consistency.



GORE

Gore performance fibers improve abrasion resistance, increase casting length and accuracy & reduce line vibration.



HIGH TENACITY POLYESTER

Increases break strength and abrasion resistance while adding density for faster sinking speeds.



**PRECISION WINDING
G2 PRECISION WINDING**

Eliminates line memory and prevents line-weakening cutting and nicking that can occur during the spooling process.



DIGITAL Y6 BRAIDING

New Braiding system with higher pic count that makes Sufix braids rounder and thinner.



HMPE FIBER

High Modulus Polyethylene fiber.



DYNEEMA

High quality HMPE fiber manufactured by DSM.



DUO CORE

Revolutionary side by side core extrusion technology.



SUPER BOND POLYMER TECHNOLOGY

**10X SUPER TOUGH
15X SUPER TOUGH**

Proprietary polymer technology that creates line abrasion resistance from 10X to 15X better than most nylon monofilaments in the same diameter.



J7 MICRO RESIN

Exclusive polymer resin that provides superior strength and toughness with easy casting.

PVDF FLUOROCARBON

Polyvinylidene fluoride with high specific gravity for fast sinking. Near zero reflection under the water makes the line nearly invisible to the fish.

**CORONA FUSION
COLORING TECHNOLOGY**

New coloring technology assures optimal color retention on the Dyneema fiber. Also maximizes the color intensity and brightness.

JAPANESE LINE SPECIFICATIONS

JAPAN #	DIAMETER
0.1	0.053 mm
0.15	0.064 mm
0.2	0.074 mm
0.25	0.083 mm
0.3	0.090 mm
0.35	0.097 mm
0.4	0.104 mm
0.5	0.117 mm
0.6	0.128 mm
0.8	0.148 mm
1	0.165 mm
1.2	0.185 mm
1.5	0.205 mm
1.75	0.220 mm
2	0.235 mm
2.25	0.248 mm
2.5	0.260 mm
2.75	0.274 mm
3	0.285 mm
3.5	0.310 mm
4	0.330 mm
5	0.370 mm
6	0.405 mm
7	0.435 mm
8	0.470 mm
10	0.520 mm
12	0.570 mm
14	0.620 mm
16	0.660 mm
18	0.700 mm
20	0.740 mm
22	0.780 mm
24	0.810 mm
26	0.840 mm
28	0.870 mm
30	0.910 mm
40	1.050 mm
50	1.170 mm
60	1.280 mm
70	1.390 mm
80	1.480 mm
90	1.570 mm
100	1.660 mm
110	1.740 mm
120	1.810 mm
150	2.030 mm
200	2.340 mm

RESPECTED RAPALA BRANDS



Rapala VMC Corporation • 17200 Vääksy, Finland
Specifications subject to change without notice

www.sufix.com

©2013 Rapala VMC Corporation

